


MISSISSIPPI DEPARTMENT OF TRANSPORTATION

Notice to Contractors

Letting Date For April - April 23, 2019



MISSISSIPPI DEPARTMENT OF TRANSPORTATION NOTICE TO CONTRACTORS

LETTING DATE FOR APRIL - Tuesday, April 23, 2019

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON APRIL 1, 2019

Proposals must be purchased online at: https://shopmdot.ms.gov For Information Please Contact: Contract Administration Division Jackson, MS

Telephone: (601) 359-7700

Plans must be purchased online at: https://shopmdot.ms.gov For Information Please Contact: MDOT Plans Print Shop Jackson, MS Telephone: (601) 359-7460

Telephone: (601) 359-7460 e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, April 23, 2019; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

LIST OF CONTRACTS FOR APRIL

	CALL	CONTRACT		COUNTY
*	01	STP-0017-02(015)/107697301	WITHDRAWN	PANOLA
	02	HSIP-0019-02(057)/102168305		LAFAYETTE
*	03	STP-0050-01(037)/107835301		CALHOUN
	04	STP-0055-01(114)/107799301		COPIAH
*	05	NH-0070-04(027)/107773301		LAFAYETTE
	06	HSIP-0070-05(028)/107520301		PONTOTOC
*	07	STP-9999-02(272)/107912301		COAHOMA
	80	STP-9999-05(368)/107769301		DISTRICT 5
*	09	MP-1000-00(088)/306708301		DISTRICT 1
	10	MP-1050-44(008)/306679301		LOWNDES
	11	MP-1371-29(004)/306680301		ITAWAMBA
*	12	MP-2000-00(094)/306709301		DISTRICT 2
*	13	MP-2049-68(004)/306648301		TALLAHATCHIE
*	14	MP-3000-00(119)/306710301		DISTRICT 3
*	15	MP-5000-00(103)/306711301		DISTRICT 5
*	16	MP-5011-38(010)/306547301		LAUDERDALE
*	17	MP-5013-40(006)/306659301 & MI 40(003)/306659302 & MP-5487- 40(015)/306659303	P-5500-	LEAKE

^{*} No plans except Standard Drawings

*	18	MP-6000-00(302)/306712301	DISTRICT 6
*	19	MP-6057-30(013)/306696301	JACKSON
*	20	MP-6145-12(003)/306695301	CLARKE
*	21	MP-6198-20(004)/306694301	GEORGE
*	22	MP-7000-00(194)/306713301	DISTRICT 7
	23	MP-7048-03(006) / 306645301	AMITE

Page 3

_

Construction of a Roundabout on SR 7 at SR 9W, known as Federal Aid Project No. HSIP-0019-02(057) / 102168305 in Lafayette County.

PROJECT COMPLETION: 65 Working Days

			-
1	Lump Sum	201-A001	Clearing and Grubbing
4,481	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
530	Linear Feet	202-B089	Removal of Curb &/or Curb and Gutter, All Types
2	Each	202-B165	Removal of Inlets, All Sizes
600	Linear Feet	202-B191	Removal of Pipe, 8" And Above
1	Each	202-B206	Removal of Right-Of-Way Marker
35	Each	202-B215	Removal of Sign Including Post & Footing
470	Linear Feet	202-B240	Removal of Traffic Stripe
5,885	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
21,415	Cubic Yard	203-G001	Excess Excavation, FM, AH
295	Cubic Yard	206-A001	Structure Excavation
9,344	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
446	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
5	Ton	213-A001	Agricultural Limestone
1	Ton	213-C001	Superphosphate
2,624	Square Yard	216-B001	Solid Sodding, Bermuda
52	Thousand Gallon	219-A001	Watering
2	Acre	220-A001	Insect Pest Control
118	Cubic Yard	221-A001	Concrete Paved Ditch
625	Square Yard	224-A001	Soil Reinforcing Mat
2	Acre	225-A001	Grassing
3	Ton	225-C001	Mulch, Vegetative Mulch
2	Acre	226-A001	Temporary Grassing
12	Each	230-B102	Tree Planting, Southern Magnolia, Saint Mary

2,250	Linear Feet	234-A001	Temporary Silt Fence
7	Each	235-A001	Temporary Erosion Checks
2	Each	236-A008	Silt Basin, Type D
2,400	Linear Feet	237-A002	Wattles, 20"
51	Linear Feet	245-A001	Silt Dike
340	Linear Feet	246-A001	Sandbags
20	Ton	249-A001	Riprap for Erosion Control
10	Cubic Yard	249-B001	Remove and Reset Riprap
2,200	Ton	304-B002	Granular Material, Class 3, Group D
481	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
616	Ton	403-A005	19-mm, MT, Asphalt Pavement
753	Ton	403-A006	19-mm, ST, Asphalt Pavement
591	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
940	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
3,610	Ton	406-A001	Cold Milling of Bituminous Pavement, All Depths
998	Gallon	407-A001	Asphalt for Tack Coat
1	Mile	423-A001	Rumble Strips, Ground In
1,405	Linear Feet	503-C010	Saw Cut, Full Depth
10	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
906	Pounds	602-A001	Reinforcing Steel
64	Linear Feet 6	03-ALT006	24" Type A Alternate Pipe
200	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
2	Each	603-CB004	24" Reinforced Concrete End Section
32	Linear Feet	603-CE002	22" x 13" Concrete Arch Pipe, Class A III
152	Linear Feet	603-CE008	29" x 18" Concrete Arch Pipe, Class A III
1	Each	603-CF002	22" x 13" Concrete Arch Pipe End Section
2	Each	603-CF003	29" x 18" Concrete Arch Pipe End Section
79	Pounds	604-A001	Castings
440	Linear Feet	609-B003	Concrete Curb, Special Design
380	Linear Feet	609-C001	Concrete Integral Curb, Type 1

3,656	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
65	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
409	Square Yard	616-A003	Concrete Median and/or Island Pavement, 12-inch
590	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
9	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
2,505	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
2,985	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
8,566	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
569	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
76	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
640	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,052	Linear Feet	619-F1001	Concrete Median Barrier, Precast
158	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
36	Linear Feet	619-G4001	Barricades, Type III, Double Faced
180	Linear Feet	619-G4005	Barricades, Type III, Single Faced
90	Each	619-G5001	Free Standing Plastic Drums
3	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1,183	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,472	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,955	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
3,812	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
27	Square Feet	626-H004	Thermoplastic Legend, White
303	Linear Feet	626-H005	Thermoplastic Legend, White
74	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
202	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
153	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
114	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
170	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted

27	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
390	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
133	Linear Feet	630-D009	Structural Steel Beams, W8 x 18
114	Pounds	630-E001	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
155	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
185	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
1	Each	638-C001	Flasher Assembly - Solar Powered
5,300	Linear Feet	682-A010	Underground Branch Circuit, AWG 10, 3 Conductor
300	Linear Feet	682-B010	Underground Branch Circuit, Jacked or Bored, AWG 10, 3 Conductor
110	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
4	Each	682-E002	Underground Junction Box
14	Each	682-E003	Underground Junction Box With Concrete Pad
1	Each	682-F001	Secondary Power Controller
23	Cubic Yard	684-A004	Pole Foundation, 30" Diameter
1	Lump Sum	699-A001	Roadway Construction Stakes
226	Ton	815-A007	Loose Riprap, Size 300
37	Square Yard	815-E001	Geotextile under Riprap
41	Ton	815-F002	Sediment Control Stone
284	Linear Feet 90	7-253-A001	Coir Fiber Baffle
6	Each 907	-619-E3001	Changeable Message Sign
2	Each 907	7-630-O006	Remove and Reset Signs, Ground Mounted
14	Each 907-	-683-PP001	Lighting Assembly, Per Plans
			ALTERNATE GROUP AA NUMBER 1
3,350	Ton	304-F001	3/4" and Down Crushed Stone Base
2.250	Ton	204 5002	ALTERNATE GROUP AA NUMBER 2
3,350	TOIT	3U4-FUUZ	Size 610 Crushed Stone Base ALTERNATE GROUP AA NUMBER 3
3,350	Ton	304-F003	Size 825B Crushed Stone Base
.,			

Bridge Repairs on SR 9, Bridge Nos. 38.3, 38.5, 39.4, 39.6, 40.1, 40.4, 40.7, 40.9, & 41.2, known as Federal Aid Project No. STP-0050-01(037) / 107835301 in Calhoun County.

PROJECT COMPLETION: 200 Working Days

1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
			Bridge Items
31,132	Square Feet	907-824-PP003	Bridge Repair, Painting
1	Lump Sum	907-824-PP004	Bridge Repair, Flame Straightening Repair
202	Each	907-824-PP006	Bridge Repair, Beam End Repair
72	Each	907-824-PP006	Bridge Repair, Cap Cleaning
2	Each	907-824-PP006	Bridge Repair, Remove and Replace Saddles

Slide Repairs on I-55 from Lincoln County Line to Hazlehurst, known as Federal Aid Project No. STP-0055-01(114) / 107799301 in Copiah County.

PROJECT COMPLETION: 160 Working Days

3	Acre	201-D002	Random Clearing
1,980	Linear Feet	202-B136	Removal of Guard Rail
1,200	Square Yard	217-A001	Ditch Liner
1,000	Linear Feet	234-C001	Super Silt Fence
300	Linear Feet	237-A002	Wattles, 20"
50	Linear Feet	245-A001	Silt Dike
50	Each	246-B001	Rockbags
1,600	Gallon	407-A001	Asphalt for Tack Coat
2,000	Linear Feet	605-H001	Edge Drain
1,738	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
2	Each	606-C003	Guard Rail, Cable Anchor, Type 1
1	Each	606-D009	Guard Rail, Bridge End Section, Type C
3	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
7,400	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
7,400	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3,600	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
3,445	Linear Feet	619-F1001	Concrete Median Barrier, Precast
10	Each	619-F3001	Delineators, Guard Rail, White
31	Each	619-F3002	Delineators, Guard Rail, Yellow
1	Lump Sum	620-A001	Mobilization
3,600	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
3,600	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3,600	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow

100	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1	Lump Sum	699-A001	Roadway Construction Stakes
15,570	Linear Feet	803-D004	HP 12 x 84 Steel Piling
1,300	Ton	907-411-A001	Ultra Thin Asphalt Pavement
			ALTERNATE GROUP AA NUMBER 1
1,140	Ton	304-F001	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
1,140	Ton	304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 3
1,140	Ton	304-F003	Size 825B Crushed Stone Base

Mill & Overlay approximately 10 miles of US 278 from Panola County Line to 0.25 miles West of Coliseum Drive, known as Federal Aid Project No. NH-0070-04(027) / 107773301 in Lafayette County.

PROJECT COMPLETION: 152 Working Days

		Roadway Items
165	Square Yard 202-B007	Removal of Asphalt Pavement, All Depths
440	Square Yard 202-B062	Removal of Concrete Overlayed w/ Asphalt Pavement, All Depths
358	Cubic Yard 203-G001	Excess Excavation, FM, AH
13,370	Ton 304-B002	Granular Material, Class 3, Group D
475	Ton 403-A006	19-mm, ST, Asphalt Pavement
13,225	Ton 403-B010	9.5-mm, HT, Asphalt Pavement, Leveling
34,565	Ton 403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
395,850	Square Yard 406-D001	Fine Milling of Bituminous Pavement, All Depths
15,970	Gallon 407-A001	Asphalt for Tack Coat
40	Mile 423-A001	Rumble Strips, Ground In
1	Lump Sum 618-A001	Maintenance of Traffic
1	Square Feet 618-B001	Additional Construction Signs
48	Mile 619-A1001	Temporary Traffic Stripe, Continuous White
42	Mile 619-A2001	Temporary Traffic Stripe, Continuous Yellow
39	Mile 619-A3003	Temporary Traffic Stripe, Skip White, Paint
10,500	Linear Feet 619-A5001	Temporary Traffic Stripe, Detail
6,224	Linear Feet 619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum 620-A001	Mobilization
20	Mile 626-A004	6" Thermoplastic Traffic Stripe, Skip White
18	Mile 626-B004	6" Thermoplastic Traffic Stripe, Continuous White
20	Mile 626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
33,865	Linear Feet 626-G002	Thermoplastic Detail Stripe, White
4,240	Linear Feet 626-G003	Thermoplastic Detail Stripe, Yellow
1,297	Square Feet 626-H004	Thermoplastic Legend, White
6,224	Linear Feet 626-H005	Thermoplastic Legend, White

1,546	Each	627-C001	Red-Clear Reflective Raised Markers
90	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
133	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
29	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
19	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
74	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
968	Linear Feet	907-640-A001	Vehicle Loop Assemblies
1	Each	907-687-A001	Traffic Recorder Classification Permanent System
			ALTERNATE GROUP AA NUMBER 1
300	Ton	304-F001	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
300	Ton	304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 3
300	Ton	304-F003	Size 825B Crushed Stone Base

Construction of US 278/MS 6 J-Turns at Rocky Ford Road and MS 345, known as Federal Aid Project No. HSIP-0070-05(028) / 107520301 in Pontotoc County.

PROJECT COMPLETION: 223 Working Days

			Roadway Items
1	Lump Sum	201-A001	Clearing and Grubbing
6,317	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,030	Square Yard	202-B063	Removal of Concrete Paved Ditch
417	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
4	Each	202-B165	Removal of Inlets, All Sizes
16	Linear Feet	202-B191	Removal of Pipe, 8" And Above
6	Each	202-B222	Removal of Signal Pole Including Hardware and Wiring
9,350	Linear Feet	202-B240	Removal of Traffic Stripe
15,667	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
6,460	Cubic Yard	203-G001	Excess Excavation, FM, AH
580	Cubic Yard	206-A001	Structure Excavation
40,637	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
111	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
7	Ton	213-C001	Superphosphate
16,510	Square Yard	216-A001	Solid Sodding
330	Thousand Gallon	219-A001	Watering
13	Acre	220-A001	Insect Pest Control
199	Cubic Yard	221-A001	Concrete Paved Ditch
10	Acre	223-A001	Mowing
10	Acre	225-A001	Grassing
7	Ton	225-B001	Agricultural Limestone
26	Ton	225-C001	Mulch, Vegetative Mulch
10	Acre	226-A001	Temporary Grassing
11,650	Linear Feet	234-A001	Temporary Silt Fence
13	Each	234-D001	Inlet Siltation Guard

384	Linear Feet	237-A002	Wattles, 20"
19,121	Ton	304-B001	Granular Material, Class 3, Group C
3,408	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
4,260	Ton	403-A006	19-mm, ST, Asphalt Pavement
6,352	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
51,363	Cubic Yard	406-D002	Fine Milling of Bituminous Pavement, All Depths
5,390	Gallon	407-A001	Asphalt for Tack Coat
2	Mile	423-A001	Rumble Strips, Ground In
2,010	Linear Feet	503-C010	Saw Cut, Full Depth
20	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
587	Pounds	602-A001	Reinforcing Steel
1,453	Linear Feet 6	603-CA011	18" Reinforced Concrete Pipe, Class III
8	Linear Feet 6	603-CA026	24" Reinforced Concrete Pipe, Class III
6	Each	603-CB003	18" Reinforced Concrete End Section
1	Each	603-CB004	24" Reinforced Concrete End Section
488	Pounds	604-A001	Castings
1,900	Pounds	604-B001	Gratings
25	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
200	Linear Feet	605-T002	6" Perforated Pipe for Underdrains
100	Linear Feet	605-U002	6" Non-perforated Pipe for Underdrains
40	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
13,785	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
960	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
645	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1	Lump Sum	618-A001	Maintenance of Traffic
5	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A3001	Temporary Traffic Stripe, Skip White
42,227	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,983	Square Feet	619-A6001	Temporary Traffic Stripe, Legend

556	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1,013	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
193	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
290	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,320	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
192	Linear Feet	619-G4001	Barricades, Type III, Double Faced
192	Linear Feet	619-G4005	Barricades, Type III, Single Faced
418	Each	619-G5001	Free Standing Plastic Drums
52	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
3	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
1	Mile	626-B004	6" Thermoplastic Traffic Stripe, Continuous White
3	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2	Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
29,389	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
7,758	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
2,261	Square Feet	626-H004	Thermoplastic Legend, White
424	Linear Feet	626-H005	Thermoplastic Legend, White
32	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
794	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
122	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
459	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
226	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
1,004	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
1,229	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
48	Linear Feet	630-D002	Structural Steel Beams, S4 x 7.7
200	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
232	Pounds	630-E001	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles

295	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
8	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
234	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
1	Lump Sum	699-A001	Roadway Construction Stakes
			ALTERNATE GROUP AA NUMBER 1
16,955	Ton	304-F001	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
16,955	Ton	304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 3
16,955	Ton	304-F003	Size 825B Crushed Stone Base

Bridge Maintenance on US 49, Bridge # 336.3, known as Federal Aid Project No. STP-9999-02(272) / 107912301 in Coahoma County.

PROJECT COMPLETION: 134 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change Roadway Items

1 Lump Sum 618-A001 Maintenance of Traffic

1 Square Feet 618-B001 Additional Construction Signs

1 Lump Sum 620-A001 Mobilization

Bridge Items

200 Each 907-824-PP006 Bridge Repair, Bearing Replacement

21 Each 907-824-PP006 Bridge Repair, Cap Cleaning

Raised Pavement Markers on various routes throughout the District, known as Federal Project No. STP-9999-05(368) / 107769301 in District 5.

PROJECT COMPLETION: OCTOBER 29, 2019

1	Lump Sum	618-A001	Maintenance of Traffic
15,518	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
45,111	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
27,192	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

High Tension Cable Barrier Repairs on various routes throughout the District, known as Federal Aid Project No. MP-1000-00(088) / 306708301 in District 1.

PROJECT COMPLETION: JUNE 30, 2020

2,000	Each	907-610-A1002	Repair of Cable Barrier System, Brifen
100	Each	907-610-A1002	Repair of Cable Barrier System, Gibraltar
700	Each	907-610-A1002	Repair of Cable Barrier System, Safence
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Brifen
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Gibraltar
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Safence
500	Linear Feet	907-610-C1001	Cable Rope
5	Each	907-610-D1001	Turnbuckle
10	Each	907-610-E1001	Splice
2,000	Each	907-610-F1001	Brifen Peg Replacement
1	Lump Sum	907-610-G1001	Annual Inspection
10	Each	907-610-H1001	Re-tensioning
5	Each	907-610-I1001	Lane Closure
5	Cubic Yard	907-610-J1001	Vegetative Pad

Mill & Overlay approximately 5 miles of SR 50 from SR 12 to Alabama State Line, also known as State Project No. MP-1050-44(008) / 306679301 in Lowndes County.

PROJECT COMPLETION: 59 Working Days

			Roadway Items
120	Square Yard 202-B0	007	Removal of Asphalt Pavement, All Depths
1,900	Cubic Yard 203-G0	002	Excess Excavation, LVM, AH
2,700	Cubic Yard 304-A0	003	Granular Material, LVM, Class 3, Group D
75	Ton 403-A0	005	19-mm, MT, Asphalt Pavement
8,300	Ton 403-A0	015	9.5-mm, ST, Asphalt Pavement
95,000	Square Yard 406-D0	001	Fine Milling of Bituminous Pavement, All Depths
5,000	Gallon 407-A0	001	Asphalt for Tack Coat
1	Lump Sum 618-A0	001	Maintenance of Traffic
1	Square Feet 618-B0	001	Additional Construction Signs
24	Mile 619-A10	001	Temporary Traffic Stripe, Continuous White
18	Mile 619-A20	001	Temporary Traffic Stripe, Continuous Yellow
6	Mile 619-A40	002	Temporary Traffic Stripe, Skip Yellow
13,000	Linear Feet 619-A50	001	Temporary Traffic Stripe, Detail
85	Square Feet 619-A60	001	Temporary Traffic Stripe, Legend
1,600	Linear Feet 619-A60	002	Temporary Traffic Stripe, Legend
1	Lump Sum 620-A0	001	Mobilization
12	Mile 626-C0	004	6" Thermoplastic Edge Stripe, Continuous White
3	Mile 626-D0	003	6" Thermoplastic Traffic Stripe, Skip Yellow
9	Mile 626-E0	004	6" Thermoplastic Traffic Stripe, Continuous Yellow
6,800	Linear Feet 626-G0	002	Thermoplastic Detail Stripe, White
6,400	Linear Feet 626-G0	003	Thermoplastic Detail Stripe, Yellow
85	Square Feet 626-H0	004	Thermoplastic Legend, White
2,100	Linear Feet 626-H0	005	Thermoplastic Legend, White
300	Each 627-J0	001	Two-Way Clear Reflective High Performance Raised Markers
1,150	Each 627-L0	001	Two-Way Yellow Reflective High Performance Raised Markers

18	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
60	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
			ALTERNATE GROUP AA NUMBER 1
120	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
			ALTERNATE GROUP AA NUMBER 2
120	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
			ALTERNATE GROUP AA NUMBER 3
120	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM

High Tension Cable Barrier Repairs on various routes throughout the District, known as Federal Aid Project No. MP-2000-00(094) / 306709301 in District 2.

PROJECT COMPLETION: JUNE 30, 2020

1,200	Each	907-610-A1002	Repair of Cable Barrier System, Brifen
500	Each	907-610-A1002	Repair of Cable Barrier System, Nucor
800	Each	907-610-A1002	Repair of Cable Barrier System, Safence
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Brifen
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Nucor
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Safence
500	Linear Feet	907-610-C1001	Cable Rope
10	Each	907-610-D1001	Turnbuckle
5	Each	907-610-E1001	Splice
1,300	Each	907-610-F1001	Brifen Peg Replacement
1	Lump Sum	907-610-G1001	Annual Inspection
10	Each	907-610-H1001	Re-tensioning
5	Each	907-610-11001	Lane Closure
5	Cubic Yard	907-610-J1001	Vegetative Pad

Overlay approximately 10 miles of US 49 E from Leflore County Line to SR 32 W, known as State Project No. MP-2049-68(004) / 306648301 in Tallahatchie County.

PROJECT COMPLETION: 143 Working Days

			Roddinay Romo
1,500	Square Yard	202-B062	Removal of Concrete Overlayed w/ Asphalt Pavement, All Depths
12	Each	202-B152	Removal of Guard Rail Terminal End Section
1,300	Linear Feet	202-B240	Removal of Traffic Stripe
124	Cubic Yard	203-G001	Excess Excavation, FM, AH
5,760	Ton	304-B002	Granular Material, Class 3, Group D
984	Ton	403-A006	19-mm, ST, Asphalt Pavement
13,525	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
1,500	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
2,940	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
11,500	Gallon	407-A001	Asphalt for Tack Coat
43,000	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
18	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
16	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
8	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,338	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
672	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
12	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
700	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
16	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
350	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
8	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow

250	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,520	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
665	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
672	Linear Feet	626-H005	Thermoplastic Legend, White
200	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,100	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
36	Each	630-F006	Delineators, Guard Rail, White
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

High Tension Cable Barrier Repairs on various routes throughout the District, known as Federal Aid Project No. MP-3000-00(119) / 306710301 in District 3.

PROJECT COMPLETION: JUNE 30, 2020

300	Each	907-610-A1002	Repair of Cable Barrier System, Brifen
200	Each	907-610-A1002	Repair of Cable Barrier System, Nucor
400	Each	907-610-A1002	Repair of Cable Barrier System, Safence
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Brifen
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Nucor
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Safence
500	Linear Feet	907-610-C1001	Cable Rope
5	Each	907-610-D1001	Turnbuckle
5	Each	907-610-E1001	Splice
185	Each	907-610-F1001	Brifen Peg Replacement
1	Lump Sum	907-610-G1001	Annual Inspection
10	Each	907-610-H1001	Re-tensioning
5	Each	907-610-11001	Lane Closure
5	Cubic Yard	907-610-J1001	Vegetative Pad

High Tension Cable Barrier Repairs on various routes throughout the District, known as Federal Aid Project No. MP-5000-00(103) / 306711301 in District 5.

PROJECT COMPLETION: JUNE 30, 2020

550	Each	907-610-A1002	Repair of Cable Barrier System, Brifen
800	Each	907-610-A1002	Repair of Cable Barrier System, Gibraltar
50	Each	907-610-A1002	Repair of Cable Barrier System, Nucor
1,100	Each	907-610-A1002	Repair of Cable Barrier System, Safence
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Brifen
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Gibraltar
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Nucor
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Safence
500	Linear Feet	907-610-C1001	Cable Rope
5	Each	907-610-D1001	Turnbuckle
5	Each	907-610-E1001	Splice
100	Each	907-610-F1001	Brifen Peg Replacement
1	Lump Sum	907-610-G1001	Annual Inspection
10	Each	907-610-H1001	Re-tensioning
5	Each	907-610-11001	Lane Closure
5	Cubic Yard	907-610-J1001	Vegetative Pad

Mill & Overlay approximately 11 miles of US 11 from Russell to Alabama State Line, known as State Project No. MP-5011-38(010) / 306547301 in Lauderdale County.

PROJECT COMPLETION: 137 Working Days

			Roadway Items
21,500	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
15	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
1,130	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
2,167	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
2,015	Linear Feet	202-B240	Removal of Traffic Stripe
500	Cubic Yard	203-G002	Excess Excavation, LVM, AH
500	Ton	304-D002	Granular Material, Crushed Stone
20,150	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
875	Ton	403-A006	19-mm, ST, Asphalt Pavement
550	Ton	403-B003	12.5-mm, ST, Asphalt Pavement, Leveling
11,825	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
180,000	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
18,000	Gallon	407-A001	Asphalt for Tack Coat
940	Linear Feet	413-D004	Cleaning and Filling Joints in PCC Pavement, 10" or Less
43,550	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
20	Mile	423-A001	Rumble Strips, Ground In
2,622	Linear Feet	503-C010	Saw Cut, Full Depth
918	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
100	Linear Feet	606-B010	Guard Rail, Class A, Type 1, Thrie Beam
25	Linear Feet	606-B013	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
4	Each	606-D005	Guard Rail, Bridge End Section, Type A
2	Each	606-D013	Guard Rail, Bridge End Section, Type E
2	Each	606-D015	Guard Rail, Bridge End Section, Type F
16	Each	606-E005	Guard Rail, Terminal End Section, Flared
10	Each	606-G003	Special Sections, Special Design Bridge Connector

1	Lump Sum	618-A001	Maintenance of Traffic
52	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
26	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
12,800	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,900	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
686	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
436	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
88	Each	619-F3001	Delineators, Guard Rail, White
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
21	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
13	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
4,000	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
2,450	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
63	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
2,050	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
590	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,104	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
8	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
8	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Lump Sum	907-899-A001	Railway-Highway Provisions

Mill & Overlay approximately 1 mile of SR 13 through the Town of Lena, approximately 1 mile of SR 500 from SR 13 to Lena Town Limits, approximately 1 mile of SR 487 from SR 13 to Lena Town Limits, known as State Project Nos. MP-5013-40(006) / 306659301, MP-5500-40(003) / 306659302, & MP-5487-40(015) / 306659303 in Leake County.

PROJECT COMPLETION: 43 Working Days

			Roduway items
550	Square Yard 202-B06	09	Removal of Asphalt Pavement, Failed Areas
150	Cubic Yard 203-G0	01	Excess Excavation, FM, AH
150	Cubic Yard 304-A00	04	Granular Material, LVM, Class 5, Group C
5,350	Ton 403-A00	03	12.5-mm, ST, Asphalt Pavement
184	Ton 403-B00	03	12.5-mm, ST, Asphalt Pavement, Leveling
42,530	Square Yard 406-D00	01	Fine Milling of Bituminous Pavement, All Depths
4,253	Gallon 407-A00	01	Asphalt for Tack Coat
596	Linear Feet 503-C0	10	Saw Cut, Full Depth
1	Lump Sum 618-A00	01	Maintenance of Traffic
14	Mile 619-A100	01	Temporary Traffic Stripe, Continuous White
21	Mile 619-A200	01	Temporary Traffic Stripe, Continuous Yellow
159	Linear Feet 619-A400	01	Temporary Traffic Stripe, Skip Yellow
4,080	Linear Feet 619-A500	01	Temporary Traffic Stripe, Detail
680	Square Feet 619-A600	01	Temporary Traffic Stripe, Legend
303	Square Feet 619-D100	01	Standard Roadside Construction Signs, Less than 10 Square Feet
120	Square Feet 619-D200	01	Standard Roadside Construction Signs, 10 Square Feet or More
32	Linear Feet 619-G400	01	Barricades, Type III, Double Faced
1	Lump Sum 620-A00	01	Mobilization
7	Mile 626-C00	02	6" Thermoplastic Double Drop Edge Stripe, Continuous White
53	Linear Feet 626-D00	02	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7	Mile 626-E00	01	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
300	Linear Feet 626-G00	01	Thermoplastic Detail Stripe, Blue-ADA
1,400	Linear Feet 626-G00	04	Thermoplastic Double Drop Detail Stripe, White
640	Linear Feet 626-G00	05	Thermoplastic Double Drop Detail Stripe, Yellow

340	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
128	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
406	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
198	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Each	907-626-H001	Thermoplastic Legend, Blue-ADA Handicap Symbol

High Tension Cable Barrier Repairs on various routes throughout the District, known as Federal Aid Project No. MP-6000-00(302) / 306712301 in District 6.

PROJECT COMPLETION: JUNE 30, 2020

1,500	Each	907-610-A1002	Repair of Cable Barrier System, Brifen
50	Each	907-610-A1002	Repair of Cable Barrier System, Gibraltar
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Brifen
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Gibraltar
500	Linear Feet	907-610-C1001	Cable Rope
5	Each	907-610-D1001	Turnbuckle
5	Each	907-610-E1001	Splice
100	Each	907-610-F1001	Brifen Peg Replacement
1	Lump Sum	907-610-G1001	Annual Inspection
10	Each	907-610-H1001	Re-tensioning
5	Each	907-610-11001	Lane Closure
5	Cubic Yard	907-610-J1001	Vegetative Pad

Thin Lift approximately 7 miles on SR 57 from North ROW of I-10 North to Ratliff Road, known as State Project No. MP-6057-30(013) / 306696301 in Jackson County.

PROJECT COMPLETION: Flexible

32	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,557	Linear Feet	202-B240	Removal of Traffic Stripe
50	Cubic Yard	203-G001	Excess Excavation, FM, AH
1,731	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
12,064	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
13,582	Gallon	407-A001	Asphalt for Tack Coat
1,056	Square Feet	412-A001	Pre-Grinding
13	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
30	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
23,952	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,042	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
4,504	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
15	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
5	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
9	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,015	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
8,989	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,521	Square Feet	626-H004	Thermoplastic Legend, White
2,252	Linear Feet	626-H005	Thermoplastic Legend, White
468	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers

86	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,924	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
96	Each	630-F006	Delineators, Guard Rail, White
10,340	Ton	907-411-A001	Ultra Thin Asphalt Pavement
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1,782	Linear Feet	907-640-A001	Vehicle Loop Assemblies
			ALTERNATE GROUP AA NUMBER 1
2,918	Ton	304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
2,918	Ton	304-F003	Size 825B Crushed Stone Base
			ALTERNATE GROUP BB NUMBER 1
904	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
331	Linear Feet	628-1002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
573	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
			ALTERNATE GROUP BB NUMBER 2
904	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
331	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
573	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

Overlay approximately 3 Miles of SR 145 from 150 Ft North of SR 513 to US 45, also known as State Project No. MP-6145-12(003) / 306695301 in Clarke County.

PROJECT COMPLETION: Flexible

			•
324	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
5,300	Square Yard	202-B188	Removal of Pavement, All Types and Depths
600	Linear Feet	202-B240	Removal of Traffic Stripe
925	Ton	403-A005	19-mm, MT, Asphalt Pavement
4,520	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
570	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
3,100	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
12,700	Gallon	407-A001	Asphalt for Tack Coat
3,185	Ton	411-A001	Ultra Thin Asphalt Pavement
130	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post
4	Each	606-E001	Guard Rail, Terminal End Section
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
15	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
12,065	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
99	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
490	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
8	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
6	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,265	Linear Feet	626-G002	Thermoplastic Detail Stripe, White

6,230	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
99	Square Feet	626-H004	Thermoplastic Legend, White
848	Linear Feet	626-H005	Thermoplastic Legend, White
250	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
30	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
750	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
14	Each	630-F006	Delineators, Guard Rail, White
14	Each	630-F007	Delineators, Guard Rail, Yellow
14	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
44	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, Post Mounted
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
			ALTERNATE GROUP AA NUMBER 1
3,100	Ton	304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
3,100	Ton	304-F003	Size 825B Crushed Stone Base
			ALTERNATE GROUP BB NUMBER 1
400	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
200	Linear Feet	628-1002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
			ALTERNATE GROUP BB NUMBER 2
400	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
200	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

Seal & Overlay approximately 5 miles of SR 198 from US 98 East to SR 26, known as State Project No. MP-6198-20(004) / 306694301 in George County.

PROJECT COMPLETION: Flexible

			Rodaway Romo
661	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
825	Linear Feet	202-B240	Removal of Traffic Stripe
468	Cubic Yard	203-G001	Excess Excavation, FM, AH
708	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
205	Ton	403-A006	19-mm, ST, Asphalt Pavement
6,529	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
7,622	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
4,643	Gallon	407-A001	Asphalt for Tack Coat
408	Square Feet	412-A001	Pre-Grinding
2,330	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
9	Mile	423-A001	Rumble Strips, Ground In
481	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
18	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
4,884	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1	Lump Sum	620-A001	Mobilization
9	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
9	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,057	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,038	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,444	Linear Feet	626-H005	Thermoplastic Legend, White

300	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
10	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
502	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
55	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G002	Type 1 Object Markers, OM1-3
82,701	Square Yard	907-414-A001	Scrub Seal
			ALTERNATE GROUP AA NUMBER 1
2,479	Ton	304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
2,479	Ton	304-F003	Size 825B Crushed Stone Base
			ALTERNATE GROUP BB NUMBER 1
362	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
90	Linear Feet	628-1002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
			ALTERNATE GROUP BB NUMBER 2
362	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
90	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

High Tension Cable Barrier Repairs on various routes throughout the District, known as Federal Aid Project No. MP-7000-00(194) / 306713301 in District 7.

PROJECT COMPLETION: JUNE 30, 2020

600	Each	907-610-A1002	Repair of Cable Barrier System, Brifen
5	Each	907-610-B1001	Repair of Cable Barrier Terminal End, Brifen
500	Linear Feet	907-610-C1001	Cable Rope
5	Each	907-610-D1001	Turnbuckle
5	Each	907-610-E1001	Splice
100	Each	907-610-F1001	Brifen Peg Replacement
1	Lump Sum	907-610-G1001	Annual Inspection
10	Each	907-610-H1001	Re-tensioning
5	Each	907-610-I1001	Lane Closure
5	Cubic Yard	907-610-J1001	Vegetative Pad

Scrub Seal & Thin Lift approximately 15 miles of SR 48 from Junction SR 24 (Liberty) West to Junction SR 24 (Centreville), known as State Project No. MP-7048-03(006) / 306645301 in Amite County.

PROJECT COMPLETION: 66 Working Days

			Roddwdy Romo
466	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
3,662	Linear Feet	202-B240	Removal of Traffic Stripe
336	Cubic Yard	203-G002	Excess Excavation, LVM, AH
4,340	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
381	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
1,726	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
27,809	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
15,890	Gallon	407-A001	Asphalt for Tack Coat
876	Square Feet	412-A001	Pre-Grinding
7	Mile	423-A001	Rumble Strips, Ground In
350	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
64	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
34	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
20	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
9,879	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
14	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,884	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
8	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
10	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
14	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
7,455	Linear Feet	626-G002	Thermoplastic Detail Stripe, White

2,424	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
14	Square Feet	626-H004	Thermoplastic Legend, White
1,884	Linear Feet	626-H005	Thermoplastic Legend, White
1,285	Each	627-H001	Chip Seal Reflective Raised Markers
706	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,400	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
20	Each	630-F006	Delineators, Guard Rail, White
13,433	Ton	907-411-A001	Ultra Thin Asphalt Pavement
202,720	Square Yard	907-414-A001	Scrub Seal
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Each	907-688-A001	Traffic Recorder WIM Kistler System
			ALTERNATE GROUP AA NUMBER 1
3,472	Linear Feet	907-624-B003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White, High Contrast
1,986	Linear Feet	907-624-C003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow, High Contrast
120	Linear Feet	907-624-D001	6" Inverted Profile Thermoplastic Traffic Stripe, Continous Yellow, High Contrast
			ALTERNATE GROUP AA NUMBER 2
3,472	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,986	Linear Feet	628-1002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
120	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
			ALTERNATE GROUP BB NUMBER 1
21	Mile	907-626-C003	Thermoplastic Audible Edge Stripe
			ALTERNATE GROUP BB NUMBER 2

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at http://shopmdot.ms.gov at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at http://bidx.com. Specimen proposals may be viewed and downloaded online at no cost at http://mdot.ms.gov or purchased online at http://shopmdot.ms.gov at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at https://shopmdot.ms.gov. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E. EXECUTIVE DIRECTOR